COORC SCHOIST | measuring devices actuators sensors PDA "two

Advanced Scholar Search Search

Scholar Articles and patents

anytime

include citations

Create email alertResults 1 - 10 of about 17. (0.12 sec)

System and method of monitoring and controlling a remote device

MCT Chang... - US Patent App. 10/032,030, 2001 - Google Patents

... Sensors 191,192 may be thermistors, ther- mocouples, or other temperature measuring equipment, tachometers ... or other data to an **actuator**, which may generally correspond to **actuators** 193, 194 ... be capable of con-trolling the functionality or operation of a plurality of devices. ...

All 2 versions

System and method of addressing and configuring a remote device

B Nakatani - US Patent App. 09/965,520, 2001 - Google Patents

... embodied in any number of monitoring **devices** such as: thermistors, thermocouples, or other temperature measuring equipment; tachometers ... capable of two-way data communication with data ports 1201-1204 and any peripheral devices, sensors, or actuators coupled thereto ...

All 2 versions

System and method for temperature sensing and monitoring

PB Egidio - US Patent App. 10/442.100, 2003 - Google Patents

... are addressed by the present invention in which an approach for digitally **measuring** temperature and ... which (not shown) can be used for powering remote sensors and actuators (such as ... However, remote **devices** may acquire power from a source other than the controller 105 ...

Related articles - All 6 versions

Molecular fluorescence, phosphorescence, and chemiluminescence spectrometry

AM Powe, S Das, M Lowry, B El-Zahab... - Analytical ..., 2010 - ACS Publications

... reviewed the strategies used to develop fluorescent-based peptide sensors and discussed ... and co-workers reported raster image correlation spectroscopy (RICS) for **measuring** fast protein ... the review period that will undoubtedly lead to improved instruments and experimental ...

Cited by 68 - Related articles - BL Direct - All 9 versions

[PDF] Non invasive brain-machine interfaces

F Carpi, D De Rossi... - ESA Arladna Study, 2006 - Citeseer

... A German group (Mehring et al., 2003) recently reported that **measuring** local-field ... number of degrees of freedom (DoF), sensors embedded in its structure, actuators and tendons ... Several attempts have been carried out to develop multifunctional prosthetic devices controlled by ...

Cited by 2 - Related articles - View as HTML - All 2 versions

(PDF) from osuledu

On/off keying node-to-node messaging transceiver network with dynamic routing and configuring

BK McMillin - US Patent 7,027,773, 2006 - Google Patents

... PDA INTERFACE OPTIONAL APPLICATION-SPECIFIC INTERFACES VEHICLE INTERFACE DOOR LOCK INTERFACE UTILITY METER INTERFACE APPLIANCE INTERFACE BUILDING CONTROL INTERFACE USER DISPLAY USER KEYBOARD EXTERNAL SENSORS ...

Cited by 60 - Related articles - All 2 versions

DIGITAL IMAGE RETRIEVAL BY AGGREGATING SEARCH RESULTS BASED ON VISUAL ANNOTATIONS

R Van Zwol... - US Patent App. 20,100/114,888, 2008 - freepatentsonline.com ... 20090234810, SENSOR AND ACTUATOR BASED VALIDATION OF EXPECTED COHORT, September, 2009, Angell ... In other instances, well-known structures and devices are shown in block ... Another approach for measuring the suitability of the annotated digital images selected ... Cached - All 3 versions

Enhanced portable digital lidar system

HS Lee, IH Hwang... - US Patent 7,741,618, 2010 - Googie Patents ... and Biological defense, pp. 26-30, October 1998, the entire contents of which are incorporated herein by reference, have been actively developing both long range and short range **sensor** systems. Long-range biological standoff ...

Related articles - All 6 versions


Apparatus, methods, and systems for viewing and manipulating a virtual environment

D Macintosh, D Morelock... - US Patent 7,403,220, 2008 - Google Patents
... 344 Interface 328 / \ Removable N V Storage 332 •<> ^ ISP 312, ^ v_ Graphical User- Interface
334 TV Peripheral s*^ / **Devices** 336 J ... 23 of 26 US 7,403,220 B2 1722 Hardware Initialization
USB Initialization Read/Handle External Thumb Controls **Sensor** Calibration Calibrate ...
Cited by 1 - Related articles - All 6 versions

Magnetic Vibratory Screen Clamping

P Dufilho... - US Patent App. 20,100/235,002, 2010 - freepatentsonline.com
... such as one or more electro-magnetic clamp apparatus 314, or other suitable clamp **devices**. ...
connected to the vibratory separator and positioned above the screen apparatus for **measuring**a distance ... to move the rocker arm assembly up and down: a linear **actuator** device or ...

Cached





measuring devices actuators sensor Search

Go to Google Home - About Google - About Google Scholar

©2010 Google